


Colours \_Colori




CAEM

ShelvingEngineering







## Standard Painted Metals / Metalli Verniciati Standard




## Plasticized Metals / Metalli Plastificati



## Premium Standard Painted Metals / Metalli Verniciati Premium



## Standard Timbers / Legni Standard



Ivory  
Avorio Cod. 0011



Silver Metallic  
Argento Met. Cod. RAL



Red Underground  
Rosso Underground Cod. R435




Green Chlorophyll  
Verde Clorofilla Cod. R441



Yellow Voyager  
Giallo Voyager Cod. R463



Blue Hindy  
Blu Hindy Cod. R496



Orange Newport  
Arancio Newport Cod. R835



Orange Mars  
Arancio Marte Cod. R861



Durmast Metropolis  
Rovere Metropolis Cod. T081




Cherry Olimpia  
Ciliegio Olimpia Cod. T001



Maple Season  
Acero Season Cod. T423



Cherry Antico  
Ciliegio Antico Cod. T088



## Elite Timbers / Legni Elite



Palissandro Narciso

Cod.  
E102



Zebrano Narciso

Cod.  
E103



Bambù Narciso

Cod.  
E105




Bianco Narciso

Cod.  
E106




Moka Penelope

Cod.  
E201




Pietra Penelope

Cod.  
E202



Lino Penelope

Cod.  
E203





Wengé Ebano

Cod.  
E900




Wengé Africa

Cod.  
T552




## Eco Leather / Eco Pelle




Creamy  
Beige

Cod.  
L001



Light Brown  
Chiara Marrone

Cod.  
L002



Dark Brown  
Scuro Marrone

Cod.  
L003



Orange  
Arancione

Cod.  
L004



## Glasses / Vetri



Ivory  
Avorio

Cod.  
V001




White  
Bianco

Cod.  
V002



Grey  
Grigio

Cod.  
V003






Acid Orange  
Arancio Acido

Cod.  
V004



Acid Green  
Verde Acido

Cod.  
V005



## Plasticized and painted finishes / Finiture plastificate e verniciate

The plasticised texture is made of non-toxic PVC 125 micron gauge (as from CEE 65/548 and for migration 82/711/EEC) auto-extinguishing from fire and can be used with food (as from CEE rules). -

The surface is washable with domestic soaps and alcohol (no solvents) and it is anti-scratch and anti stain. -

All the non-plasticised textures are minimum 80 micron thick and they are sprayed with thermosetting powders according to the current security rules. -

They are auto-extinguishing from fire, non-toxic and un-leaded, washable with neutral non-abrasive soaps or alcohol (no solvents).

La finitura plastificata è realizzata con PVC atossico di spessore 125 micron (come da direttiva CEE 65/548 e per la migrazione 82/711/EEC e 85/572/EEC) autoestinguente al fuoco e possono essere poste a contatto con gli alimenti (come da norme CEE).

Le superfici sono lavabili con prodotti domestici e alcool (non con solventi) inoltre sono antimacchia e antigraffio.

Tutte le finiture non plastificate hanno un spessore minimo di 80 micron e sono verniciate con polveri termoindurenti applicate secondo le norme di sicurezza vigenti. Sono autoestinguenti al fuoco, atossici ed esenti da piombo, lavabili con detergenti neutri non abrasivi e un panno morbido o alcool (non con solventi) inoltre sono antimacchia e antigraffio. -

Caem reserves the right to change, without notice, the features of the colours presented.

I colori riportati sono indicativi, Caem si riserva la facoltà di modificarli senza alcun preavviso



CAEM-Magrini S.p.A.

Headquarter  
via Volta, 8  
52010 Subbiano (Ar) Italy  
T: +39 0575 42801  
F: +39 0575 42802  
E: [information@caem.it](mailto:information@caem.it)

[www.caem.net](http://www.caem.net)

Magrini (UK) Ltd

Jamage Industrial Estate  
Talke - Stoke On Trent  
ST7 1XW, United Kingdom  
T: +44 (0) 1782 794500  
F: +44 (0) 1782 794501  
E: [info@caem.co.uk](mailto:info@caem.co.uk)

CAEM India

2, Sai Sagar Apt.  
Opp. Transmitting Station  
Hingna Road, Nagpur  
440016 India  
T: +91 712 2230319  
E: [info@caemindia.com](mailto:info@caemindia.com)

CAEM Australia Pty Ltd

Unit 1/16 Salpietro Street  
Bibra Lake WA 6163  
Australia  
T: +61 (0) 8 9494 2244  
F: +61 (0) 8 9494 2255  
E: [phil@caem.com.au](mailto:phil@caem.com.au)